Dynamic Optimal Ground Water Remediation Including Fixed and Operation Costs, by L.-C. Chang, C.-T. Hsiao, 481–490.
Asymmetric Dipole-Flow Test in a Fractured Carbonate Aquifer, by T. Halihan, V.A. Zlotnik, 491–499.
Is the Forward Problem of Ground Water Hydrology Always Well Posed? by G. Valota, M. Giudici, G. Parravicini, G. Ponzini, E. Romano, 500–508.
Measurement of 3-D Hydraulic Conductivity in Aquifer Cores at In Situ Effective Stresses, by M. Wright, P. Dillon, P. Pavelic, P. Peter, A. Nefiodovas, 509–517.
Spatial and Temporal Variability of Ground Water Recharge in Central Australia: A Tracer Approach, by G.A. Harrington, P.G. Cook, A.L. Herczeg, 518–528.
Influence of the Amount of Available K Data on Uncertainty About Contaminant Transport Prediction, by J. Bright, F. Wang, M. Close, 529–534.
Analysis of a Vertical Dipole Tracer Test in Highly Fractured Rock, by W.E. Sanford, P.G. Cook, J.C. Dighton, 535–542.
Interpretation of Spring Recession Curves, by H. Amit, V. Lyakhovsky, A. Katz, A. Starinsky, A. Burg, 543–551.
Origin of Shallow Ground Water in an Alluvial Aquifer as Determined by Isotopic and Chemical Procedures, by M.C. Rains, J.F. Mount, 552–563.

Volume 40, No. 6

Comparison of Formation and Fluid-Column Logs in a Heterogeneous Basalt Aquifer, by F.L. Paillet, J.H. Williams, D.S. Oki, K.D. Knutson, 577–585.
Delineation of Three-Dimensional Well Capture Zones for Complex Multi-Aquifer Systems, by E.O. Frind, D.S. Muhammad, J.W. Molson, 586–598.
Injection-Extraction Treatment Well Pairs: An Alternative to Permeable Reactive Barriers, by J.A. Cunningham, M. Reinhard, 599–607.
A Global Experimental System Approach of Karst Springs' Hydrographs and Chemographs, by D.A. Grasso, P.-Y. Jeannin, 608–617.
The Capture Efficiency Map: The Capture Zone Under Time-Varying Flow, by A.D. Festger, G.R. Walter, 619–628.
Optimized System to Improve Pumping Rate Stability During Aquifer Tests, by M.H. Young, T.C. Rasmussen, F.C. Lyons, K.D. Pennell, 629–637.
Recharge Estimation for Transient Ground Water Modeling, by M.I. Jyrkama, J.F. Sykes, S.D. Normani, 638-648.

Book Reviews

Ground-Water Microbiology and Geochemistry, 2nd edition, by Francis Chapelle. Reviewed by L.J. Crossey, v. 40, no. 1: 4.
Flow and Transport Through Unsaturated Fractured Rock, 2nd edition, edited by D.D. Evans, T.J. Nicholson, T.C. Rasmussen. Reviewed by C.A. Cooper, v. 40, no. 2: 116.
Physical Hydrology, 2nd edition, by S. Lawrence Dingman. Reviewed by P.V. Unnikrishna, v. 40, no. 3: 221.
The Compendium of Hydrogeology, by R.E. Porges, M.J. Hammer. Reviewed by J.W. Shomaker, v. 40, no. 4: 334.
Applied Contaminant Transport Modeling, 2nd edition, by C. Zheng, G.D. Bennett. Reviewed by J.E. McCray, v. 40, no. 5: 460.
Vadose Zone Science and Technology Solutions, edited by B.B. Looney, R.W. Falta Jr. Reviewed by D.A. Stronestrom, v. 40, no. 6: 572.

Discussion of Papers

A Stream Depletion Field Experiment, by B. Hunt, J. Weir, B. Clausen (v. 39, no. 2: 283–289). Discussion by S.J. Kollet, V.A. Zlotnik, v. 40, no. 4: 448–449.
Coefficient of Permeability Determined by Measurable Parameters, by D.W. Barr (v. 39, no. 3: 356–361). Discussion by R.K. Niven, v. 40, no. 6: 670–672.

Editorials

'Ground Water' in the New Millennium, by Mary P. Anderson, v. 40, no. 1: 1.
How Hydrogeology Can Save the World, by Michael A. Celia, v. 40, no. 2: 113.
Hydrogeology: Time for a New Beginning? by Fred M. Phillips, v. 40, no. 3: 217.
The Lost Tribe of Hydrogeologists? by Boyd N. Possin, v. 40, no. 4: 329.
Corporate Hydrology: Profit by Growth or by Acquisition? by Stephen E. Ragone, v. 40, no. 5: 457.
Is Hydrogeologic Science on Track? by Harry LeGrand and Lars Rosen, v. 40, no. 6: 569.

Historical Notes

The History of Hydrology at Stanford University, by Irwin Remson, v. 40, no. 2: 205–206.
József Tóth: An Autobiographical Sketch, by J. Toth, v. 40, no. 3: 320–324.
Water Witching and Dowsing, by D. Deming, v. 40, no. 4: 450–452.
About David Keith Todd, by D.K. Todd, v. 40, no. 6: 673–675.

Issue Papers

Hydrogeological Research: Just Getting Started, by C.T. Miller, W.G. Gray, v. 40, no. 3: 224–231.
The Water Budget Myth Revisited: Why Hydrogeologists Model, by J.D. Bredehoeft, v. 40, no. 4: 340–345.

Review Papers

Effects of Ground Water Exchange on the Hydrology and Ecology of Surface Water, by M. Hayashi, D.O. Rosenberry, v. 40, no. 3: 309–316.
Role of Ground Water in Geomorphology, Geology, and Paleoclimate of the Southern High Plains, USA, by W.W. Wood, v. 40, no. 4: 438–447.
Remediation of the Wells G & H Superfund Site, Woburn, Massachusetts, by E.S. Bair, M.A. Metheny, v. 40, no. 6: 657–668.

Software Spotlight

Ground Water Modeling Software on the Internet. Reviewed by R.B. Winston, v. 40, no. 4: 335.
PHREEQC and PHREEQCI: Geochemical Modeling with an Interactive Interface. Reviewed by L. Toran, D. Grandstaff, v. 40, no. 5: 462–464.
GFLOW 2000: An Analytical Element Ground Water Flow Modeling System. Reviewed by R.M. Yager, C.J. Neville, v. 40, no. 6: 574–576.

Technical Commentary

Ground Water Age, by C.M. Bethke, T.M. Johnson, v. 40, no. 4: 337–339.
The Hydro-Malaprop and the Ground Water Table, by W.W. Woessner, M.P. Anderson, v. 40, no. 5: 465.

Technical Notes

A Simple Correction for Slug Tests in a Small-Diameter Well, by J.J. Butler Jr., v. 40, no. 3: 303–307.
Errors with Small Volume Elastic Seepage Meter Bags, by R.A. Schincariol, J.D. McNeil, v. 40, no. 6: 649–651.
The Lisse Effect Revisited, by E.P. Weeks, v. 40, no. 6: 652–656.

Author Index of Volume 40, 2002

Amit, H., V. Lyakhovsky, A. Katz, A. Starinsky, A. Burg, *Interpretation of Spring Recession Curves*, 543–551.

Anderson, M.P., R.J. Hunt, J.T. Krohelski, K. Chung, *Using High Hydraulic Conductivity Nodes to Simulate Seepage Lakes*, 117–122.

Blume, T., N. Weisbrod, J.S. Selker, *Permeability Changes in Layered Sediments: Impact of Particle Release*, 466–474.

Bright, J., F. Wang, M. Close, *Influence of the Amount of Available K Data on Uncertainty About Contaminant Transport Prediction*, 529–534.

Burton, W.C., L.N. Plummer, E. Busenberg, B.D. Lindsey, W.J. Gburek, *Influence of Fracture Anisotropy on Ground Water Ages and Chemistry, Valley and Ridge Province, Pennsylvania*, 242–257.

Butler Jr., J.J., J.M. Healey, G.W. McCall, E.J. Garnett, S.P. Loheide II, *Hydraulic Tests with Direct-Push Equipment*, 25–36.

Chang, L.-C., C.-T. Hsiao, *Dynamic Optimal Ground Water Remediation Including Fixed and Operation Costs*, 481–490.

Chapelle, F.H., P.M. Bradley, D.R. Lovley, K. O'Neill, J.E. Landmeyer, *Rapid Evolution of Redox Processes in a Petroleum Hydrocarbon-Contaminated Aquifer*, 353–360.

Chen, W., A.T. Kan, C.J. Newell, E. Moore, M.B. Tomson, *More Realistic Soil Cleanup Standards with Dual-Equilibrium Desorption*, 153–164.

Chen, X., L. Shu, *Stream-Aquifer Interactions: Evaluation of Depletion Volume and Residual Effects from Ground Water Pumping*, 284–290.

Chenaf, D., R.P. Chapuis, *Methods to Determine Storativity of Infinite Confined Aquifers from a Recovery Test*, 385–389.

Cunningham, J.A., M. Reinhard, *Injection-Extraction Treatment Well Pairs: An Alternative to Permeable Reactive Barriers*, 599–607.

Detwiler, R.L., S. Mehl, H. Rajaram, W.W. Cheung, *Comparison of an Algebraic Multigrid Algorithm to Two Iterative Solvers Used for Modeling Ground Water Flow and Transport*, 267–272.

Fallico, C., R. Mazzuca, S. Troisi, *Determination of Confined Phreatic Aquifer Anisotropy*, 475–480.

Favreau, G., C. Leduc, C. Marlin, M. Dray, J-D. Taupin, M. Massault, C.L.G. La Salle, M. Babic, *Estimate of Recharge of a Rising Water Table in Semiarid Niger from ^{3}H and ^{14}D Modeling*, 144–151.

Festger, A.D., G.R. Walter, *The Capture Efficiency Map: The Capture Zone Under Time-Varying Flow*, 619–628.

Fox, G.A., P. DuChateau, D.S. Durnford, *Analytical Model for Aquifer Response Incorporating Distributed Stream Leakage*, 378–384.

Fransson, A. *Nonparametric Method for Transmissivity Distributions Along Boreholes*, 201–204.

Frind, E.O., D.S. Muhammad, J.W. Molson, *Delineation of Three-Dimensional Well Capture Zones for Complex Multi-Aquifer Systems*, 586–598.

Grasso, D.A., P.-Y. Jeannin, *A Global Experimental System Approach of Karst Springs' Hydrographs and Chemographs*, 608–617.

Grimestad, G., *A Reassessment of Ground Water Flow Conditions and Specific Yield at Borden and Cape Cod*, 14–24.

Halihan, T., V.A. Zlotnik, *Asymmetric Dipole-Flow Test in a Fractured Carbonate Aquifer*, 491–499.

Harrington, G.A., P.G. Cook, A.L. Herczeg, *Spatial and Temporal Variability of Ground Water Recharge in Central Australia: A Tracer Approach*, 518–528.

Hoaglund III, J.R., G.C. Huffman, N.G. Grannemann, *Michigan Basin Regional Ground Water Flow Discharge to Three Great Lakes*, 390–405.

Jacobson, E., R. Andricevic, J. Morrice, *Probabilistic Capture Zone Delineation Based on an Analytic Solution*, 85–95.

Jones, N.L., T.J. Budge, A.M. Lemon, A.K. Zundel, *Generating MODFLOW Grids from Boundary Representation Solid Models*, 194–200.

Jyrkama, M.I., J.F. Sykes, S.D. Normani, *Recharge Estimation for Transient Ground Water Modeling*, 638–648.

Kelson, V.A., R.J. Hunt, H.M. Haitjema, *Improving a Regional Model Using Reduced Complexity and Parameter Estimation*, 132–143.

Kennedy, P.L., A.D. Woodbury, *Geostatistics and Bayesian Updating for Transmissivity Estimation in a Multiaquifer System in Manitoba, Canada*, 273–283.

Liu, C., W.P. Ball, *Back Diffusion of Chlorinated Solvent Contaminants from a Natural Aquitard to a Remediated Aquifer Under Well-Controlled Field Conditions: Predictions and Measurements*, 175–184.

Ludwig, R.D., R.G. McGregor, D.W. Blowes, S.G. Benner, K. Mountjoy, *A Permeable Reactive Barrier for Treatment of Heavy Metals*, 59–66.

Mabee, S.B., P.J. Curry, K.C. Hardcastle, *Correlation of Lineaments to Ground Water Inflows in a Bedrock Tunnel*, 37–43.

Naba, B., M.C. Boufadel, J. Weaver, *The Role of Capillary Forces in Steady-State and Transient Seepage Flows*, 407–415.

Nyholm, T., S. Christensen, K.R. Rasmussen, *Flow Depletion in a Small Stream Caused by Ground Water Abstraction from Wells*, 425–437.

Paillet, F.L., J.H. Williams, D.S. Oki, K.D. Knutson, *Comparison of Formation and Fluid-Column Logs in a Heterogeneous Basalt Aquifer*, 577–585.

Pistre, S., S. Marliac, H. Jourde, P. Bidaux, *New Combined Log and Tracer Test Interpretation Method for Identifying Transfers in Fissured Aquifers*, 232–241.

Rains, M.C., J.F. Mount, *Origin of Shallow Ground Water in an Alluvial Aquifer as Determined by Isotopic and Chemical Procedures*, 552–563.

Reynolds, D.A., B.H. Kueper, *Numerical Examination of the Factors Controlling DNAPL Migration Through a Single Fracture*, 368–377.

Robinson, M.A., W.G. Reay, *Ground Water Flow Analysis of a Mid-Atlantic Outer Coastal Plain Watershed, Virginia, U.S.A.*, 123–131.

Rossabi, J., R.W. Falta, *Analytical Solution for Subsurface Gas Flow to a Well Induced by Surface Pressure Fluctuations*, 67–75.

Sanford, W.E., P.G. Cook, J.C. Dighton, *Analysis of a Vertical Dipole Tracer Test in Highly Fractured Rock*, 535–542.

Saripalli, K.P., R.J. Serne, P.D. Meyer, B.P. McGrail, *Prediction of Diffusion Coefficients in Porous Media Using Tortuosity Factors Based on Interfacial Areas*, 346–352.

Schlosser, S.A., J.E. McCray, K.E. Murray, B. Austin, *A Subregional-Scale Method to Assess Aquifer Vulnerability to Pesticides*, 361–367.

Silliman, S.E., B. Berkowitz, J. Simunek, M. Th. van Genuchten, *Fluid Flow and Solute Migration Within the Capillary Fringe*, 76–84.

Smedley, P.L., W.M. Edmunds, *Redox Patterns and Trace-Element Behavior in the East Midlands Triassic Sandstone Aquifer, U.K.*, 44–58.

Stoessell, R.K., J.G. Coke, D.H. Easley, *Localized Thermal Anomalies in Haloclines of Coastal Yucatan Sinkholes*, 416–424.

Tonkin, M.J., S.P. Larson, *Kriging Water Levels with a Regional-Linear and Point-Logarithmic Drift*, 185–193.

Valota, G., M. Giudici, G. Parravicini, G. Ponzini, E. Romano, *Is the Forward Problem of Ground Water Hydrology Always Well Posed?* 500–508.

Wefer-Roehl, A., E.R. Graber, E. Adar, A. Yakirevich, Z. Ronen, *Retardation of Organic Contaminants in Natural Fractures in Chalk*, 291–301.

Wright, M., P. Dillon, P. Pavelic, P. Peter, A. Nefiodovas, *Measurement of 3-D Hydraulic Conductivity in Aquifer Cores at In Situ Effective Stresses*, 509–517.

Yang, C.-H., W.-F. Lee, *Using Direct Current Resistivity Sounding and Geostatistics to Aid in Hydrogeological Studies in the Choshuichi Alluvial Fan, Taiwan*, 165–173.

Young, M.H., T.C. Rasmussen, F.C. Lyons, K.D. Pennell, *Optimized System to Improve Pumping Rate Stability During Aquifer Tests*, 629–637.

Zheng, C., P.P. Wang, *A Field Demonstration of the Simulation Optimization Approach for Remediation System Design*, 258–265.

Zhu, C., G.M. Anderson, D.S. Burden, *Natural Attenuation Reactions at a Uranium Mill Tailings Site, Western U.S.A.*, 5–13.

The most information in the ground water industry is in one place . . .

NGWA.org

The Web site of the National Ground Water Association

NGWA.org, the Web site of the National Ground Water Association, has been revamped and now features more information than ever before. The Web site is where more than 20,000 visitors go for daily information regarding the ground water industry. More than 90,000 pages are downloaded every month. The site also features a new look and is easy to use with navigation bars on every page. At more than 900 total pages, the site contains:

- Daily industry news
- A career center with jobs and resumés
- Listing of NGWA and industry events
- Legislative news and updates
- News on the latest in NGWA's publications
- Searchable buyers guides
- Connection to Ground Water On-Line®
- Resources for ground water educators
- Members-only information
- Much, much more

Go to **www.NGWA.org** today and stay ahead of the competition!

national ground water association

Phone/ Toll-free 800 551.7379/ 614 898.7791 **Fax/** 614 898.7786
URL/ www.ngwa.org and www.wellowner.org
Address/ 601 Dempsey Road/ Westerville, Ohio 43081-8978 U.S.A.